

PERFECTION IS OUR PRIORITY

TABLE OF CONTENTS

Contact us at info@alkabeerindustries.com +971559631024



PLASTIC FILMS



Shrink Wrap







Stretchfilm 7-9. pages Bubble wrap and PE foam 4,20-23 pages VCI film **Plastic bags**

PVC film

32.page 34. page

Plastic bags Plastic bags

29-32 pages

10 to 12. pages

34. page



ADHESIVE TAPES









Packaging tapes Masking tapes Double sided tapes Electric insulation tapes Special tapes **Custom printed**

tapes

12. page

12. page



CORRUGATED **CARDBOARDS**



17 to 19 pages







Cardboard boxes Cardboard rolls Edge protectors Packaging papers Paper bags

STRAPPING,

BUNDLING









Strapping Accessories Twines

15-16. pages



OTHER **PRODUCTS**









Plastic crates 13. page **Plastic boxes** 14. page **Packaging protectors** 35.page




PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

OUR TARGETS

Al kabeer Industries LLC has a wide variety of Packaging materials for different industries



Al Kabeer Industries packaging materials is committed to continuously improve the quality of its products and services to better satisfy the needs and expectations of its clients; and to deliver to them, on time, and every time, defect-free products and services.



PERFECTION IS OUR PRIORITY





Custom printed boxes

Get boxes with your company logo or any graphic text!














GET A QUOTE FOR CUSTOM PRICE!



Anti - static bubble wrap and PE foam bags
Provide maximum protection against

static discharge.



GET A QUOTE FOR CUSTOM PRICE!



PERFECTION IS OUR PRIORITY

STRETCH FILM





GET A QUOTE FOR CUSTOM PRICE!



We supply a wide range of Poly Bags



Plastic bag Wholesale and retail

- standard & custom size
- made of original or recycled backing material





PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

STRETCH FILM



Jumbo films									
Width Thickness Gross Core Elongation Colour									
F. Landandand			Kg		•				
500 mm	17, 20 , 23 my	50 kg	1,6 kg	150%, 200%	Transp., black 🔳 🔳				

Jumbo strech film wholesale and retail.

- excellent quality
- discount price on pallett orders
- always in time



	Machine stretch films								
Width	Thickness	Gross	Core	Elongation	Colour				
Standardania (*	Kg	Kg		*				
500 mm	12, 17, 20, 23 my	16,2 kg	1,6 kg	150%, 200% 300%, pre - stretched	Transp., black 🔳 🗖				

Stretch wrap machines are recommended for any business wrapping more than 15 loads per day. Stretch wrap machines help to reduce waste, increase efficiency, and promote a more secure and consistent load.

Get a quote for strech wrapping machines



Hand stretch films								
Width	Thickness	Gross weight Core Core		Core	Colour			
Bindindani			K ₈ Single	Returnable	*			
500 mm	12, 17, 20, 23 my	2 - 2,5 kg	220 g, 350 g	650 g, 740 g	Transp., black 🔳 🖿			

Hand stretch wraps are recommended for any business usually for low amount of loads. It's very mobile but rather expensive choice. Prestretched film is stretched close to its ultimate break point prior to being wound onto rolls for final use. This means the film doesn't require as much stretching energy as a standard stretch film to achieve the same wrapping force.







PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com \$\psi\$971559631024

STRETCH FILM

Bundling stretch films							
	Width	Thickness	length of film	length of core	Colour		
	Simhinhundan)	*	E Linkson Linkson	Extended core	*		
	100 mm	12, 17, 20, 23 my	150 m	200 mm	Transp., black 🔳 🖿		

Bundling stretch film offers many advantages over other packaging methods. Bundling stretch film can:

- 1. Reduce shipping costs by bundling items.
- 2. Protect shipments from various elements.
- 3. Replace tape without leaving a residue.
- 4. Be less expensive than tape, twine, strapping, etc.
- 5. Secure loads during transit.




Elastic stretchband							
Sizes	Quantity	Colour					
A	QTY	&					
100 x 600 mm	100 pieces / roll	Transparent					
100 x 1200 mm	100 pieces / roll	Transparent					
100 x 1400 mm	100 pieces / roll	Transparent					
150 x 1200 mm	100 pieces / roll	Transparent					
200 x 1200 mm	100 pieces / roll	Transparent					

Elastic stretchband is the perfect solution for securing your items for in-plant transport. It can be drawn easily over the top layer without the use of equipment, after which the whole stack is entirely stable. Unlike when using adhesive tape for example, your boxes will not be damaged in the process. Elastic stretchband is also ideal for securing edge protection strips.

Elastic stretchband is moisture-resistant and food safe. You can find the most common dimensions listed below. Additionally, we are happy to produce our stretchband according to your requirements in terms of dimensions and colour.







PERFECTION IS OUR PRIORITY
Contact us -info@alkabeerindustries.com +971559631024

STRETCH FILM

Stretch film for food and beverage								
Width	Length	Thickness	Inner diametre of core	Colour				
E Jankan Jank	Statement .	*		*				
500 mm	00 mm 500 - 2000 m		76 - 112 mm	Transparent				

Stretch films used for tray packaging of fresh food. Equipped with excellent gloss / luster properties, self-stickiness, compatibility with automatic packaging machines, meets customer's needs with standard quality.



STRETCH FILM TOOLS

STRETCH FILM DISPENSERS


Two handed manual stretch film dispenser	Quality	Colour
The two handles are specifically designed to allow stretch film applications to be less energy intensive	This two handed manual stretch film dispenser is composed of a lightweight metal alloy	Various

Recommended width	Recommended core	Quality	
Supplied to the same of the sa		8	
500 mm width films	38 / 50 / 76 mm	Lightweight metal	





Bundling stretch film dispenser						
Width	Recommended core	Colour				
		@				
100 mm	50 mm	Various				









PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

ADHESIVE TAPES

We offer numerous appliance adhesive tape solutions for mounting, injection, component marking, surface protection, secure transport, and much more.



Adhesive tape refers to any one of a variety of combinations of a backing materials coated with an adhesive. Different backing materials and adhesives can be used depending on the intended use.







PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

ADHESIVE TAPES

Packaging tapes (Carton sealing tapes) FILM								
Product	Width	Length	Thickness	Material	Type of adhesive	Colour		
	R. Landand Land	Shahalanan .	*			@		
4263	48 mm	66 m	43.0 µm	PP film	Natural rubber	Transp., brown		
4280	48 mm	50 m	43.0 µm	PP film	Natural rubber	Transp., brown		
4205	19 mm	66 m	45.0 µm	PP film	Natural rubber	Transparent		
4280	25 mm	66 m	42.0 µm	PP film	Synthetic rubber	Transp., brown		
4280	48 mm	66 m	42.0 µm	PP film	Synthetic rubber	Transp., brown		

	Packaging tapes (Carton sealing tapes) PAPER									
Product	Width	Length	Thickness	Material	Type of adhesive	Colour				
	F. Limitarian III	E. Transport	*	10		@				
4313	48 mm	66 m	125 µm	Paper	Synthetic rubber	Brown -				













	Masking tapes (slightly-creped paper)										
Product	Width	Length	Thickness	Material	Type of adhesive	UV Stable	Colour				
	Flandard Inc.	F. Transport	*		0	® /	P				
4316	12 mm	50 m	130 µm	Creped p.	Natural rubber		Nature 🔲				
4323	19 mm	50 m	130 µm	Creped p.	Natural rubber		Nature 🔲				
4323	25 mm	50 m	125 µm	Creped p.	Natural rubber		Nature 🔲				
4323	30 mm	50 m	130 µm	Creped p.	Natural rubber		Nature 🔲				
4323	38 mm	50 m	130 µm	Creped p.	Natural rubber		Nature 🗀				
4323	50 mm	50 m	130 µm	Creped p.	Natural rubber		Nature 🗀				
4435	50 mm	50 m	145 µm	Creped p.	Natural rubber	~	Blue 🔳				
4322	50 mm	50 m	380 µm	Creped p.	Natural rubber		Nature 🔲				

Double sided adhesive tapes								
Product	Width	Length	Thickness	Material	Type of adhesive	UV Stable	Colour	
	Sundanium I	S. Landand Landson I.	*	10			@	
64621	9 mm	66 m	90 µm	PP film	Synthetic rubber		Nature 🔲	
4952	19 mm	5 m	1150 μm	PE foam	Tackified acrylic	*	Nature 🔲	
64621	25 mm	55 m	90 µm	PP film	Synthetic rubber		Nature 🔲	
4934	25 mm	25 m	280 µm	PP film	Synthetic rubber		Nature 🔲	
4934	38 mm	25 m	280 µm	PP film	Synthetic rubber		Nature 🗀	
64621	38 mm	50 m	90 µm	PP film	Synthetic rubber		Nature 🔲	
64621	50 mm	50 m	90 μm	PP film	Synthetic rubber		Nature 🗀	
4934	50 mm	25 m	280 µm	Textile	Synthetic rubber		Nature 🔲	








PERFECTION IS OUR PRIORITY

ADHESIVE TAPES

Contact us -info@alkabeerindustries.com +971559631024



Tapes to be used to insulate electrical wires and other materials that conduct electricity. Suitable for most electrical insulation applications such as splicing and protection. Decorative and color coding applications

d	

	Special Self - Adhesive tapes						
Таре	Width	Length	Thickness	Type of adhesive	Material	Colour	
•	Bimhahahami	Bunhahaman	**	O	6	@	
Duct	48 mm	50 m	180 µm	Natural rubber	PE cloth	Grey	
Aluminium	50 mm	50 m	120 µm	Natural rubber	Alu. foil	Grey	
Repair	50 mm	50 m	120 µm	Natural rubber	PE film	Transparent	
PET fleece	19 mm	25 m	280 µm	Rubber based	PET	Black	•
Printed	Custom	Custom	47,5 μm	Natural rubber	PP film	Custom	



Custom printed adhesive tapes					
Width	Length	Thickness	Graphic design	Printing	Min. order
Statement .	B. Control of the Con	*	•	•	
19, 50, 75 mm	55, 60 m	47.5, 90 μm	~	✓	1 box/36 pcs

Get adhesive tapes with your company logo or any graphic! Recommended basic colours: white, transparent or custom colours Size: 19, 25, 38, 48, 50, 75 mm x 60 m, 66 m Minimum quantity order: 360 rolls / 10 boxes!

We offer to design any graphic you need and manufacture your order with the shortest lead times.



MOQ 10 BOXES!








PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

PLASTIC CRATES

We supply wide variety of the crates for food and other industry

We offer reinforced, long-life crates











MF10 crate with handle

MM10 raised crate

MMF10 crate

M20 crate

		Plastic crates		
Crates	Nominal size	Weight of the product	Max loading capacity	Colour
		<u>.</u>	Kg	&
ME5 light	600x400x100 mm	0,52 kg	15 kg	Various
М5	600x400x100 mm	1 kg	20 kg	Various
M10	600x400x150 mm	1,2 kg	25 kg	Various
ME10 light	600x400x150 mm	0,65 kg	20 kg	Various
MF10	600x400x150 mm	1,2 kg	25 kg	Various 🔳 🔳
MM10	600x400x150 mm	1,3 kg	25 kg	Various
MMF10	600x400x150 mm	1,25 kg	25 kg	Various
ME20	600x400x220 mm	1,5 kg	30 kg	Various
ME30	600x400x300 mm	2,3 kg	35 kg	Various
M Lid	555x385x40 mm	0,65 kg	-	Various



M30 crate





PERFECTION IS OUR PRIORITY Contact us -info@alkabeerindustries.com +971559631024

PLASTIC BOXES

From our other plastic products we recommend the cage for poultry and other small live animals. We distribute carriage under the crates (trolley), IBC container,

MH boxes and plastic buckets and tubs in various dimensions











E1 box

E2 box

Case for meat industry Case for dairy industry

Plastic boxes					
Types	Nominal size	Weight of the product	Max loading capacity	Colour	
		<u>.</u>	Kg	@	
M5	600x400x100 mm	1,1 kg	12 kg	Various	
M10	600x400x150 mm	1,4 kg	30 kg	Various	
M20	600x400x220 mm	1,75 kg	35 kg	Various	
M30	600x400x300 mm	2,6 kg	45 kg	Various	
E1	600x400x125 mm	1,5 kg	35 kg	Red	
E2	600x400x200 mm	2,0 kg	40 kg	Red	
Meat box	600x400x230 mm	2,0 kg	45 kg	White	
Dairy box	600x400x220 mm	1,4 kg	35 kg	Blue	
Vintage box	600x400x220 mm	1,7 kg	35 kg	Green	
Cage	850x660x300 mm	7,6 kg	-	White	
Troley	600x400, 800x600	-	-	Blue	







Troley under the boxes



PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

STRAPPING

	Strapping						
Material	Size	Thickness	Weight	Colour			
•	A	*	Кд	*			
PET	12 mm x 3000 m	0,60 mm	-	Green			
PP	16 mm x 3000 m	0,55 mm	-	Black 🔳			
Textile	16, 19, 25, 30, 32 mm x 850 - 2000 m	_	_	White 🗆			
Steel	16 mm x 17 m / kg	_	25 kg	Metallic 🔳			





POLYPROPYLENE STRAPPING

Strapping used on shipment of chemical weapons

Steel is the oldest and highest tensile strength strapping. It is available in a variety of widths and thicknesses as well as variations in the grade of steel.

Steel is used for heavy duty holding where high strength and minimal stretch are desired. Surface finishes for steel strap include: paint, paint and wax, bluing or zinc and wax.



POLYESTER STRAPPING (PET)

Polyester strapping is characterized by a very consistent tensile strength and very high elongation. Characteristics that are most decisive factor for a safe and reliable strapping method. Unlike strapping made from steel, Polyester strapping having its very high elongation, is able to absorb shocks and impacts during transportation and handling far better than steel strapping is capable of.

The excellent elongation allows the substitution for the same application with Polyester strap having a lower breaking strength.



POLYESTER STRAPPING (TEXTILE)

WOVEN POLYESTER STRAPPING equals the breaking strain of steel strapping but is only 16% of the weight for similar specification. Unaffected by extremes of temperature or humidity and easy to handle, with no sharp edges to injure operatives or product. It can be re-used when secured with heavy duty steel buckles or easily scrapped with normal waste. Because it is woven, the strapping tape has bi-directional strength and will not split lengthways.

Available custom printed to order





PERFECTION IS OUR PRIORITY
Contact us -info@alkabeerindustries.com +971559631024

PP BALER TWINES

	PP Baler Twine	
Туре	Size	Colour
		@
5 kg / roll	360 m / kg	White
5 kg / roll	600 m / kg	White

Premium Quality- Produced from the finest PP material.

- Heavy Duty- Not easily broken during the hay baling operation and transportation process.
- Tension Tested- Tested and certified strong tension by the authority.
- UV Stabilized-Containing high quality anti-UV additives.
- Softness- Soft smooth texture to reduce knotter wear.



Туре	Size	Colour					
	S. C.	@					
	Flax Twine (strong)						
2 / 0,40 mm	500 gramm / roll	Brown					
	Flax Twine (medium)						
2 / 1,75 mm	200 gramm / roll	Brown 🔳					
	Flax Twine (light)						
2 / 3,5 mm	100 gramm / roll	Brown					
	PP Twine						
0,6 mm	300 m / kg	White					





PP TWIST TIE 1/4

These twist ties are perfect for durable, removable and flexible binding closure of bags or attaching of labels. They are Metallic wire ties with flexible PET materials outside.

1 x 0,4 mm Size: 500 m / roll

Colour: red, yellow and more



ZIP TIES

You can easily fasten both commercial-grade and standardgrade lights to buildings and trees with these tie wraps.

Colour: Available in various dimensions **Material:** PP





PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

CORRUGATED CARDBOARDS


On Demand Packaging® machines Integrate with any ordering system to produce the boxes you need.


Perfectly sized box, every time.

By using smaller boxes, on demand packaging users significantly reduce their corrugated cardboard cost.











Corrugated roll

3 layers of B flute

5 layers of B flute

7 layers of B flute

Standrad TFL boxes

- with no die cut fees
- 3 7 layers of B flute
- cost-effective solution
- short lead times

Creative and die cut cardboard boxes design and production

Cardboard sheets, dividers in custom size

Complete graphic design for cardboard packaging with short lead times





PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

CORRUGATED PRODUCTS

Corrugated rolls						
Size	Size Type Weight					
À	Kg	@				
30 cm x 100 m	2 layers of B flute Brown-brown	165 g / m2	Barna 🔳			
35 cm x 100 m	2 layers of B flute Brown-brown	165 g / m2	Barna 🔳			
70 cm x 100 m	2 layers of B flute Brown-brown	165 g / m2	Barna 🔳			
80 cm x 100 m	2 layers of B flute Brown-brown	165 g / m2	Barna 🔳			
100 cm x 100 m	2 layers of B flute Brown-brown	165 g / m2	Barna 🔳			
100 cm x 10 m	2 layers of B flute Brown-brown	165 g / m2	Barna 🔳			
120 cm x 100 m	2 layers of B flute Brown-brown	165 g / m2	Barna 🔳			



	Cardboard boxes (standard sizes)*					
Width	Length	Height	Quality (availabe types)	Colour		
Bullin line	S. Innthanthant	R. T.				
150 mm	200 mm	130 mm	2 - 7 layers of B flute Brown-brown	Brown		
160 mm	240 mm	130 mm	2 - 7 layers of B flute Brown-brown	Brown		
194 mm	294 mm	160 mm	2 - 7 layers of B flute Brown-brown	Brown		
260 mm	360 mm	110 mm	2 - 7 layers of B flute Brown-brown	Brown		
260 mm	300 mm	210 mm	2 - 7 layers of B flute Brown-brown	Brown		
250 mm	394 mm	210 mm	2 - 7 layers of B flute Brown-brown	Brown		
225 mm	340 mm	320 mm	2 - 7 layers of B flute Brown-brown	Brown		
294 mm	394 mm	260 mm	2 - 7 layers of B flute Brown-brown	Brown		
392 mm	392 mm	260 mm	2 - 7 layers of B flute Brown-brown	Brown		
360 mm	480 mm	320 mm	2 - 7 layers of B flute Brown-brown	Brown		
392 mm	592 mm	400 mm	2 - 7 layers of B flute Brown-brown	Brown		
500 mm	700 mm	500 mm	2 - 7 layers of B flute Brown-brown	Brown		
585 mm	785 mm	600 mm	2 - 7 layers of B flute Brown-brown	Brown		





Paper edge protectors					
Size*	Quality	Wall thickness	Colour		
A		*	@		
35 x 35 x 3 x 1000 mm	Pressed paper	2 - 7 mm	Brown, grey		
45 x 45 x 4 x 1920 mm	Pressed paper	2 - 7 mm	Brown, grey		

*custom sizes: min. width: 35 mm, max. lenght: 6m, min. wall length: 50 mm

	Corrugated wine boxes							
Width	Length	Length Height Type		Colour				
S. Mariantania	S. Mariantanian I	S. C.		@				
80 mm	265 mm	375 mm	Cardboard	Brown, white				
65 mm	65 mm	175 mm	Cardboard	Brown, white				
80 mm	80 mm	175 mm	Cardboard	Brown, white 🔳 🗌				
68 mm	130 mm	375 mm	Cardboard	Brown, white 🔳 🗌				
80 mm	240 mm	370 mm	Cardboard	Brown, white				









PERFECTION IS OUR PRIORITY

PAPER PRODUCTS	Contact us -info@alkabeerindustries.com +971559631024

Paper bags					
Width	Length	Size of bottom	Туре	Colour	
- Innihimitani	B. Mandalanda I	B. Marian Maria		@	
220 mm	280 mm	110 mm	With handles	Brown 🔳	
220 mm	280 mm	110 mm	With handles	White	
250 mm	340 mm	120 mm	With handles	Brown	
260 mm	350 mm	130 mm	With handles	White	
320 mm	420 mm	120 mm	With handles	Brown 🔳	
320 mm	420 mm	120 mm	With handles	White	
250 mm	310 mm	100 mm	With twisted handles	White	
140 mm	390 mm	80,5 mm	With twisted handles		



	Paper bags						
Width	Length	Length Gross weight Type		Colour			
* Indiandiand	Bundandan	Kg		@			
115 mm	225 mm	0,5 kg	Bakery bag	Barna 🔳			
135 mm	225 mm	1 kg	Bakery bag	Barna 🔳			
190 mm	385 mm	1,5 kg	Bakery bag	Barna 🔳			
150,5 mm	150,5 mm	_	Burger bag	Fehér 🗌			
150 mm	300 mm	_	BBQ bag	Fehér □			



	Packaging papers						
Width	Length	Weight	Туре	Colour			
B. Marian Indiana	Bindiniani	Кg	A	@			
200 mm	300 mm	45 g	Butcher paper	Grey			
600 mm	400 mm	45 g	Butcher paper	Grey			
600 mm	400 mm	65 g	Butcher paper	Grey			
600 mm	800 mm	45 g	Butcher paper	Grey			
600 mm	800 mm	23 g / m2	Standard wrapping paper*	Grey, White			
600 mm	800 mm	40 g / m2	Kraft paper	White			
500 mm	Custom	25 kg / roll.	Medium wrapping paper	Brown			
1000 mm	/ roll	50 kg / roll.	Paraffin paper	Brown			







Contact us -info@alkabeerindustries.com +971559631024

BUBBLE WRAP

Protect your goods with bubble wrap

We can provide bubble wrap packaging for any project

Standard and custom size

Wholesale and retail

always in time







PERFECTION IS OUR PRIORITY

BUBBLE WRAP

Contact us -info@alkabeerindustries.com +971559631024

		Bubble w	rap roll		
Туре	Width	Length	Thickness	Anti static*	Colour
	E limitaniani	3 Junior Indiana	*	ANTGUIC	@
2/40-45 light	600 - 2000 mm	max. 250 m	40 - 45 my		Transparent
2/60 standard	600 - 2000 mm	max. 250 m	60 my		Transparent
3/80 standard	600 - 2000 mm	max. 250 m	80 my		Transparent
3/80 standard	600 - 2000 mm	max. 250 m	80 my	~	Pink 📕
3/110 standard	600 mm	50 m	110 my		Transparent 🔳



We offer a huge range of wrap bags in various shapes and sizes.

We can Supply bespoke bags designed specifically to fit your products


Anti static, printed
Seal stripped air bubble bags

	Bubble wrap bags						
Type	Width	Length	Thickness	Anti static*	Colour		
	Standardania.	B. Continue of the Continue of	*	ANTIGUATIC			
2/40-45 light	100 - 600 mm	100 - 850 mm	40 - 45 my		Transparent 🔳		
2/60 standard	100 - 600 mm	100 - 850 mm	60 my		Transparent 🔳		
3/80 standard	100 - 600 mm	100 - 850 mm	80 my		Transparent 🔳		
3/80 standard	100 - 600 mm	100 - 850 mm	80 my	~	Pink 🛑		
3/110 standard	100 - 600 mm	100 - 500 mm	110 my		Transparent		

^{*}Anti static is available for any type besides 3/80 standard







^{*}Anti static is available for any type besides 3/80 standard






PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

PE FOAM

Y	PE Foam rolls						
Width	Length	Thickness	Anti static	Colour			
indiminalina)	S. Mariana	\$	ANTISTATIC	@			
600 - 1550 mm	300 - 600 m	0,8 mm		Transparent			
600 - 1550 mm	300 - 600 m	1 mm		Transparent 🔳			
600 - 1550 mm	max. 350 m	1,5 mm	~	Pink 📕			
600 - 1550 mm	max. 250 m	2 mm		Transparent 🔳			
600 - 1550 mm	max. 175 m	3 mm	~	Pink 📕			
600 - 1550 mm	max. 125 m	5 mm		Transparent			




Suitable for Protection of glass, Sports goods, Structure, Furniture, Electronic instrument

Polyethylene foam bag

HD laminated, printed Seal stripped foam wrap bags


PE Foam bags						
Width	Length	Thickness	Antistatic	Colour		
S. Marian Marian I.	S. Malandandand	*	ANTISTATIC .	@		
100 - 500 mm	100 - 650 mm	0,8 mm		Transparent		
100 - 500 mm	100 - 650 mm	1 mm		Transparent 🔳		
100 - 500 mm	100 - 650 mm	1,5 mm	~	Pink =		
100 - 500 mm	100 - 650 mm	2 mm		Transparent 🔳		
		_	_			











^{*}HD laminated is available for any type.



PERFECTION IS OUR PRIORITY

FILM PRODUCTS


Contact us -info@alkabeerindustries.com +971559631024


Wide variety of PE, BOPP, CPP tubes, films wholesale and retail Custom bags manufacturing


Custom sacks manufaturing

PE orig., PE recycled., PP woven



















PERFECTION IS OUR PRIORITY

FILM PRODUCTS

Contact us -info@alkabeerindustries.com +971559631024

Wide variety of PE, BOPP, CPP tubes, films wholesale and retail Custom bags manufacturing

Custom sacks manufaturing

PE orig., PE recycled., PP woven



	Shrink film, shrink tube						
Material	Width	Length	Thickness	Colour			
	Bulling	Bulling	*	&			
PE	100 mm - 1000 mm	_	25 my - 40 my	Transparent 🔳			
CPP	250 mm - 450 mm	_	25 my - 40 my	Transparent 🔲			
ВОРР	250 mm - 450 mm		25 my - 40 my	Transparent 🔲			
PE shrink	100 mm - 1000 mm		25 my - 40 my	Transparent 🔲			



		Bubble wrap	envelopes	
Туре	Out size	Inner size	Quantity	Colour
	A	A	*	@
A / 11	120 x 175 mm	100 x 165 mm	100 db / doboz	Brown, white
B / 12	140 x 225 mm	120 x 215 mm	100 db / doboz	Brown, white
C / 13	170 x 225 mm	150 x 215mm	100 db / doboz	Brown, white
D / 14	200 x 275 mm	180 x 265 mm	100 db / doboz	Brown, white
E / 15	240 x 275 mm	220 x 265 mm	100 db / doboz	Brown, white
F / 16	240 x 350mm	220 x 340mm	100 db / doboz	Brown, white
G / 17	250 x 350 mm	240 x 340mm	100 db / doboz	Brown, white
H / 18	290 x 370 mm	270 x 360mm	100 db / doboz	Brown, white
1/19	320 x 445mm	300 x 435mm	100 db / doboz	Brown, white
K/20	370 x 480mm	350 x 470mm	100 db / doboz	Brown, white







Contact us -info@alkabeerindustries.com +971559631024

POLY BAGS

Plastic bag manufacturing, wholsale supplies **Custom size & printed poly bags**

Custom labeling for brand recognition Clear, black or a wide range of colored poly bags Low quantity custom runs

> Food packaging in sheet film or perforated roll


Our packaging specialists can offer creative and cost-effective solutions for your most challenging projects.


We offer a variety of customizable food-grade bag options to fit your food packaging needs. We manufacture custom food safe bags in different sizes, styles, and thicknesses for food processing and packaging applications. We offer a huge selection of customizable poly food bags, along with the best prices and fast lead times.




















PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

POLY BAGS

Vacuum bags						
Size	Thickness	Tube (structured)	Sheet	Colour		
A	*	Example 1		@		
200 x 6000 mm	0,09 mm	~		Transparent 🔳		
250 x 6000 mm	0,09 mm	~		Transparent		
300 x 6000 mm	0,09 mm	~		Transparent 🔳		
150 x 600 mm	0,09 mm		~	Transparent 🔳		
200 x 300 mm	0,09 mm		~	Transparent		
250 x 300 mm	0,07 mm		~	Transparent		
250 x 350 mm	0,09 mm		~	Transparent		
300 x 400 mm	0,09 mm		~	Transparent		



Get a quote for a Vacuum Sealing Machine

	HDPE / LDPE bags						
Size	Thickness	Roll	Sheet	Quality	Colour		
A	**				@		
160 x 250 mm	0,012 mm		~	HDPE	Transparent 🔳		
200 x 300 mm	0,012 mm		~	HDPE	Transparent		
250 x 350 mm	0,07 mm		~	HDPE	Transparent		
300 x 400 mm	0,012 mm		~	HDPE	Transparent		
200 x 300 mm	0,07 mm	~		HDPE	Transparent		
250 x 350 mm	0,07 mm	~		HDPE	Transparent		
300 x 400 mm	0,07 mm	~		HDPE	Transparent		
170 x 270 mm	0,04 mm		~	LDPE	Transparent		
200 x 300 mm	0,04 mm		~	LDPE	Transparent		
250 x 350 mm	0,04 mm		~	LDPE	Transparent		
300 x 400 mm	0,04 mm		~	LDPE	Transparent		



LDPE Food storage bag					
Size	Thickness	Quality	Sheet	Colour	
4				@	
170 x 270 mm	0,04 mm	LDPE	~	Transparent 🔳	
200 x 300 mm	0,04 mm	LDPE	~	Transparent 🔳	
250 x 350 mm	0,04 mm	LDPE	~	Transparent	
300 x 400 mm	0,04 mm	LDPE	~	Transparent	







PERFECTION IS OUR PRIORITY

POLY BAGS

Contact us -info@alkabeerindustries.com +971559631024

Reclosable self seal zip bags						
Size	Thickness	Quality	Colours			
A	*	8	@			
70 x 100 mm	0,04 mm	LDPE	Transparent			
80 x 120 mm	0,04 mm	LDPE	Transparent			
100 x 120 mm	0,04 mm	LDPE	Transparent			
100 x 150 mm	0,04 mm	LDPE	Transparent			
120 x 170 mm	0,04 mm	LDPE	Transparent			
150 x 220 mm	0,04 mm	LDPE	Transparent 🔳			
180 x 250 mm	0,04 mm	LDPE	Transparent			
200 x 300 mm	0,04 mm	LDPE	Transparent			



	Zip Lock bags						
Size	Thickness	Colour					
A	*	&					
120 x 190 mm	0,06 mm	Transparent 🔳					
180 x 210 mm	0,06 mm	Transparent 🔳					
350 x 450 mm	0,06 mm	Transparent 🔳					



BOPP (biaxially oriented polypropylene) bags						
Width	Length	Thickness	Colour			
* Innihalianihani	Runhalman 1	\$	@			
100 mm	250 mm	0,025 mm	Transparent 🔳			
150 mm	300 mm	0,025 mm	Transparent 🔳			
200 mm	350 mm	0,025 mm	Transparent 🔳			
250 mm	450 mm	0,025 mm	Transparent			



Custom	printed	available
--------	---------	-----------

Packing list - invoice						
Size	Туре	Colour				
A		•				
230 x 110 mm - 240 x 160 mm	C5, Lieferschein - rechnung	Transparent, red 🔲 🔲				
310 x 230 mm - 325 x 235 mm	A4	Transparent 🔳				
225 x 160 mm - 240 x 160 mm	A5	Transparent 🔳				
160 x 110 mm - 175 x 115 mm	A6	Transparent				







PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

POLY BAGS

	UN certified ADR hazardous bags						
Size	Thickness	Unmarked	UN 3077 marked	Colour			
A	*		₹	@			
55 x 110 cm	0,13 mm		~	Black 			
76 x 110 cm	0,06 mm		~	Black ■			
95 x 125 cm	0,13 mm		~	Black ■			
55 x 110 cm	0,13 mm	~		Black =			
76 x 110 cm	0,06 mm	~		Black			
95 x 125 cm	0,13 mm	~		Black 			

Carriage of dangerous and hazardous goods in Bulk and ADR Hazardous Bags by road, sea and rail carry the risk of accidents leading to possible spillage or leakage that could create a risk such as fire, explosion, chemical burn or an environmental issue.



Custom printed available!

Elastic manufactured industrial garbage bags						
Width	Side gusset	Length	Thickness	Quality	Colour	
* Innhambank		· Inchalantal	\$		@	
300 mm	2 x 100 mm	600 mm	0,03 mm	recycled	Blue	
300 mm	2 x 100 mm	500 mm	0,03 mm	recycled	Blue	
400 mm	2 x 100 mm	600 mm	0,03 mm	recycled	Blue	
400 mm	2 x 100 mm	700 mm	0,03 mm	recycled	Blue	
500 mm	2 x 100 mm	1100 mm	0,04 mm	recycled	Black 	
500 mm	2 x 150 mm	1200 mm	0,04 mm	recycled	Black	
600 mm	2 x 150 mm	1200 mm	0,04mm	recycled	Black 	
700 mm	2 x 150 mm	1500 mm	0,04 mm	recycled	Black 	





PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

POLY BAGS

Raschel bags							
Size	Max loading capacity	Net weight	Material	Colour			
A	<u> </u>	Kg	ě	@			
33 x 47cm	5 kg	cca 12 gr/db	PE, PP	Red, yellow			
40 x 60 cm	10 kg	cca 17,5 gr/db	PE, PP	Red, yellow			
50 x 80 cm	15 kg	cca 28 gr/db	PE, PP	Red, yellow			

Raschel have been the most modern packaging materials for packing, storing and transporting vegetables and fruit so far. The weight of the bag is only a thousandth part of the filling weight and it provides perfect airing of the products. Its net-like outlook and the well-chosen colour provides esthetic appearance for the products.



	PP woven sacks					
Width	Length	Net weight	Material	Colour		
Tankanian I	Bunhamban 1	Kg		@		
450 - 600 mm	800 -1100 mm	60 g/m²	Polypropylene	White 🗆		

Woven bags are ideally suitable for applications where strong and costefficient packaging is requested.

They are tough, breathable, cost effective bags, ideally suited for packaging agricultural products like grains, pulses, seeds and sugar, as well as products as diverse as sand, fodder, chemicals, cement, metal parts, etc.



LDPE* / HDPE* Harvester bag					
Width	Length	Thickness	Quality	Colour	
* Innihanhanhani	G. Marianton	*		•	
550 mm	1100 mm	0,1 mm	original	Transparent 🔳	

Typical HDPE film applications include bags; liners; food and nonfood packaging; agricultural and construction films.

HDPE bag is often used in many of the same applications as LDPE and LLDPE and in some cases it is blended with LDPE to modify its properties. HDPE is well suited for applications where a greater tensile and compression strength is needed and/or when higher stiffness and rigidity is required. Like LDPE, HDPE possesses excellent impact strength and corrosion resistance.

*LDPE: in-store (we can manufacture LDPE film any time you need)
*HDPE: only for pre-order





POLY BAGS

LDPE* / HDPE* Film							
Width	Length	Thickness	Quality	Colour			
3 hallandandand	3 milionimport	*		•			
1000 mm	1000 - 2000 mm	0,1 mm	original	Semi-transparent			

High density polyethylene or HDPE is a low cost, milky white, semitranslucent thermoplastic. It is flexible but more rigid and stronger than LDPE and has good impact strength and superior puncture resistance. Like LDPE, it also has good chemical resistance, good release properties, and good vapor but poor gas barrier and weathering properties.

*LDPE: in-store (we can manufacture LDPE film any time you need)

*HDPE: only for pre-order



Heavy duty garbage bag						
Width	Length Thickness Quality Colour					
* hadradanhad	C. Company	*		•		
550 mm	1100 mm	0,083 mm	recycled	Black ■		

Extra-strong, heavy-duty trash bags are 3 times more punctureresistant than standard liners.







PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

SHOPPING BAGS

Clear and striped T-shirt shopping bags (HDPE)							
Width	Side gusset	Colour					
* Imhindiadan.		* Innihalanian I	\$	@			
200 mm	+2 x 75 mm	350 mm	0,016 mm	White			
280 mm	+2 x 70 mm	500 mm	0,016 mm	White			
280 mm	+2 x 70 mm	500 mm	0,016 mm	Striped ///			
400 mm	+2 x 100 mm	600 mm	0,022 mm	White			

Retail carry-out t-shirt bags are strong, attractive, and easy to carry. Light-weight High-Density plastic resists punctures or tears. Gusseted sides give extra storage space and expandability for bulky items.



Custom printed available!

Frosty Die Cut Merchandise Bags						
Width	Colour					
Name of the last o	E THE PARTY OF THE	*	•			
390 mm	420 mm	0,050 mm	Various, custom			
Frosty shopping bags						
490 mm	420 mm	0,050 mm	White, colourful, custom			

Clear frosted plastic shopping bags with a 6 mil handle in a convenient 250 pack of 250. We can print it! Personalize your bags with a company name and/or logo.



PP woven bag with twine handle						
Szélesség	Hosszúság	Talpméret	Szín			
Standardant.	Emily Marie	*	•			
450 mm	450 mm	130 mm	Fehér 🗆			

- Very affordable, lower cost
- Flexible and high strength, persistent durability
- Can be printed on both sides
- Can be stored in an open area due to UV-stability, up to 6 months
- Water and dust proof design due to inside PE liners or laminated on the outside; hence, packed
- Materials are protected from outside humidity
- Twisted weave and anti-skid print to prevent slipping
- Fully Recycled







PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

SHRINK WRAP

Shrink tube						
Width	Length	Thickness	Colour			
Bunhahan 1	K. Lindan January	*	@			
500 - 900 mm	Custom	0,08 mm	Nature			
500 - 900 mm	Custom	0,012 mm	Nature			
	9	Shrink film				
550 - 800 mm	Custom	0,05 mm	Nature			
550 - 800 mm	Custom	0,06 mm	Nature			
550 - 800 mm	Custom	0,08 mm	Nature			
550 - 800 mm	Custom	0,09 mm	Nature			




Shrink hood						
Width	Height Length Thickness UV stable				Colour	
* Imhahadan	E Impariment	Sandahadan I	*		@	
1000 mm	2 x 350 mm	1500 mm	0,12 mm	*	Nature	
1300 mm	2 x 525 mm	2100 mm	0,13 mm	~	Nature	
1450 mm	2 x 430 mm	1550 mm	0,12 mm	~	Nature	



Pallett hood film							
Width	Width Height Length Thickness Colour						
* Inches Indianal Inches	R. Tallengar	S. Mariantanian I.	*	@			
1200 mm	2 x 450 mm	1350 mm	0,06 mm	Nature 🔳			




Shrink wrap is commonly used as an overwrap on many types of packaging, including cartons, boxes, beverage cans and pallet loads. A variety of products may be enclosed in shrink wrap to stabilize the products, unitize them, keep them clean or add tamper resistance. It can be the primary covering for some foods such as cheese, meats, vegetables and plants. Heat-shrink tubing is used to seal electric wiring. Shrink wrap is also commonly used within more industrial applications using a heavier weight shrink film. The principles remain the same with a heat shrinking process using a hand held heat gun.




BR 0

with side gusset



shrink tube





shrink film roll
SHRINK HOOD

Shrink hood is commonly used as an overwrap on many types of packaging, including boxes and pallets. It enables stability of pallets in storage and transportation. Additionally, it protects your products from dust, dirt, water, weather conditions and damage.



PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

VCI FILM

Volatile Corrosion Inhibitors (VCIs, sometimes referred to as vapor corrosion inhibitors) provide excellent protection for metal surfaces and can prevent rust & corrosion for many years. VCIs are chemicals used directly on the product that needs to be protected. Elastic LTD's VCI films offer barrier packaging with effective corrosion protection allowing for safe, clean, and easy

packaging of metal parts, machinery and equipment. These materials can be ordered as rolls, tubing, sheets and bags.

VCI PROTECTION IS A FUNCTION OF:

- Which Metals are in need of protection
- Corrosion inhibiting chemicals used and their effectiveness on the metals.
- Ratio of chemicals in the formulation.
- Amount of VCI on the paper or in the film•pH of the finished product.
- · Water solubility and the effectiveness of the corrosion inhibitor
- In the presence of moisture and/or high humidity.



PVC FILM

It is flexible, light, cost-effective, transparent, tough and safe. It has excellent organoleptic properties (does not affect the taste of the packaged food) PVC requires less fuel to manufacture and transport when compared with other packaging materials such as metal or glass, and protects against contamination by helping to prevent the spread of germs during manufacture, distribution and display,.

METALIZED PE FOAM

Extruded polyethylene foam with metalized Polyester laminationIn all places where the thermal insulating and heat-reflective ability of this laminated product is advantageous. It is applicable behind radiators, or as a wall- and ceiling covering (e.g. in storehouses) with its laminated side inward to the heated space.

ISOFOAM® LF-ALU PET 5 mm foam can be laid as a floating layer of floor heating with laminated side to the heated concrete screed. In order to avoid sound bridges, along the connecting walls and around floor penetrations (e.g. pipes), minimum 5 mm thick ISOFOAM® border strip has to be installed.







PERFECTION IS OUR PRIORITY

Contact us -info@alkabeerindustries.com +971559631024

PACKAGING PROTECTORS



PADDED PAPER

As a diverse packaging product, padded paper is ideal for packaging and protecting all sorts of products light and heavy articles in boxes of any sort.

Moreover, padded paper is easy to use and speeds up the packaging process - even with the nowadays frequently used smaller boxes.

Padded packing paper can be used for practically any purpose.

Size: 740 mm x 325 m 2 x 60g / m2



PS FOAM PENAUT

Foam peanuts, also known as packing peanuts, or packing noodles are a common loose-fill packaging and cushioning material used to prevent damage to fragile objects during shipping.

From electronics to tools, from toys to everyday household supplies, packing peanuts fill every corner and keep your packed items from shifting during your move. Foam packing peanuts may be used and reused beyond moving purposes, sometimes to fill a bean bag chair or in a variety of crafts.

Size: PS fehér 0.5 m 3TD / kg



AIR PILLOWS

Air pillows provide a durable block and brace product and a reliable cushioning material for light to medium weight products.

The lightweight properties of the air pillows reduce shipping costs and because the air cushions are produced on demand they require minimal storage space.

Air pillows provide excellent transit protection for your product by bracing products away from the edge of the rigid outer package. Unlike bubble wrap, packing peanuts or paper fillers, the product is unable to move within its box when protected by air pillows with less material used.

